

Portable Static Grounding Kit



Portable Static Grounding Kit



A quick and easy to use portable static grounding kit which may be swiftly deployed in emergency or combustible material transfer operations where designated grounding points are not available or accessible.

The flexible array of interconnected grounding rods are inserted into the soil at specified intervals to safely dissipate static electricity from mobile trucks, service vehicles and other equipment.

- > Kit includes multiple rods, surface grounding wires, ground tab and driver tool
- > Quick and easy to install and retrieve
- > Canvas kit bag for Portable Static Grounding Kit and Cen-Stat™ Clamps, Cables and Tools

Instructions for use:

Hammer the 4 rods into the ground to a depth level indicated by the markings around each rod.

Join the rods together using the 3 ground wires provided.

Connect the grounding system to one of the ground rods (as shown below) to test the static dissipative connection.

Provided the rods have been inserted and connected correctly then the product transfer can now take place.

Each Kit consists of:

- > 4 stainless steel ground rods (355 mm long)
- > 3 stainless steel grounding wires (1.5 m long / 5 mm diameter)
- > Stainless steel fasteners and 4 grounding tabs
- > 1 driver tool to protect the rods when hammered into the ground

Copyright Notice

The website and its content is copyright of Newson Gale Ltd © 2020. All rights reserved.

Any redistribution or reproduction of part or all of the contents in any form is prohibited other than the following:

- you may print or download to a local hard disk extracts for your personal and noncommercial use only
- you may copy the content to individual third parties for their personal use, but only if you acknowledge the website as the source of the material

You may not, except with our express written permission, distribute or commercially exploit the content. Nor may you transmit it or store it in any other website or other form of electronic retrieval system.

Right to change

This document provides general information only and may be subject to change at any time without notice. All information, representations, links or other messages may be changed by Newson Gale at any time without prior notice or explanation.

Newson Gale is not obliged to remove any outdated information from its content or to expressly mark it as being outdated. Please seek the advice of professionals as necessary regarding the evaluation of any content.

Disclaimer of liability

The information provided in this Datasheet is provided by Newson Gale without any representations or warranties, expressed or implied, as to its accuracy or completeness. The liability of Newson Gale for any expenses, losses or actions incurred whatsoever by the recipient as a result of the use of this Datasheet shall be excluded.